Carlson			Supplement Serving Size 1 Soft Gel
		1	Amount F
	the FDA. This product prevent any disease.		Vitamin A (1500IU as palmitate & 2500IU as beta carotene)
	y dis		Vitamin C (from calcium ascorbate)
TT 77 9	t an		Vitamin D3 (as cholecalciferol)
Women's	Vent		Vitamin E (as d-alpha tocopherol from soy)
	pre		Vitamin K1 (as phylloquinone)
O 37 1.1	evaluated by t treat, cure, or p		Thiamin (Vitamin B-1)(from thiamin mononitrate)
Omega Multi	atec		Riboflavin (Vitamin B-2)
	evalu treat,		Niacin (as niacinamide)
VIIICEAMUU	n ev		Vitamin B-6 (as pyridoxine HCI)
	bee		Folate (folic acid)
	not		Vitamin B-12 (as cyanocobalamin)
Multiple with Fish Oil	ent has l		Other Ingredients: Beeswax, soy lecith soy and fish (anchovy, sardine, tuna).
	*This statement has not been is not intended to diagnose, t		Directions: Take one soft gel da Keep bottle tightly closed. Store and moisture.
DIETADY CUIDDI EMENT	*Th is r	0	

DIETARY SUPPLEMENT Promotes Brain, Vision and Bone Health* 180 Soft Gels

Amount Per Soft Gel nt Facts Biotin Pantothenic Acid (from d-calcium pantothenate) Calcium (from calcium carbonate, calcium mount Per Soft Gel % DV ascorbate & d-calcium pantothenate) 80% 4,000 IU Iron (from iron bisglycinate chelate) lodine (from potassium jodide) 250% 150 ma Magnesium (from magnesium oxide) 800 IU 200% Zinc (from zinc gluconate) 75 IU 250% Selenium (from selenomethionine) 100 mcg 125% Copper (from copper gluconate) 227% nonitrate) 3.4 mg Manganese (from manganese gluconate) 235% 4 ma Chromium (from chromium nicotinate) 200% Fish Oil Concentrate 40 mg 250% DHA (Docosahexaenoic Acid)+ 5 mg EPA (Eicosapentaenoic Acid)+ 400 mcg 100% 16 mca 267% ** Daily Value (DV) not established. †Reported as triglycerides. by lecithin, soybean oil. Soft Gel Shell: Beef gelatin, glycerin, water, carob. Contains Directions: Take one soft gel daily, at mealtime.

Keep bottle tightly closed. Store away from heat and moisture.

POTENCY & QUALITY GUARANTEED

Dist, by Carlson Division of J.R. Carlson Laboratories, Inc. Arlington Heights, IL 60004 • 888-234-5656 • 847-255-1600 www.carlsonlabs.com · An FDA Regulated Facility

✓ Gluten-free ✓ Milk/Casein-free ✓ Preservative-free

Warning: Vitamin K can antagonize the effect of anticoagulants, including Warfarin. Do not take this product if you are taking Warfarin without first consulting with your physician



ln é en. l tely. d b docto ental overdos children unde l overdose, cal WARNING: Accid fatal poisoning in case of accidenta

% DV

150 mcg

20 mg

50 ma

13.5 mg

75 mcg

50 ma

7.5 ma

35 mca

1 ma

1 mg

60 mcg

500 ma

215 mg

30 ma

50%

5%

75%

50%

13%

50%

50%

50%

50%

50%

4023-3a

200%