



**GILBRETH** 3001 State Road Croydon, PA 19021 215-785-3350 cms\_art@gilbrethusa.com

Customer	Job Description
Date: 07/16/15	<input checked="" type="checkbox"/> Template Request <input type="checkbox"/> Gravure
Cylinder ID#:	<input type="checkbox"/> Production File <input type="checkbox"/> Flexo
Customer: Glanbia	<input checked="" type="checkbox"/> Digitals <input type="checkbox"/> Flexo (OS)
Project: 111.5 x 159	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px dashed blue; width: 40px; height: 20px; text-align: center; font-size: 8px;">Max Text Area</div> <div style="background-color: lightblue; width: 40px; height: 20px; text-align: center; font-size: 8px;">Clear Area</div> <div style="border: 1px solid blue; width: 40px; height: 20px; text-align: center; font-size: 8px;">Max Art Area</div> </div> <p style="font-size: 8px; text-align: center;">Template Measurements are preliminary and may be subject to change.</p>
Part Number:	
PO Number:	
Comments:	

Color Breakdown	
1.	6.
2.	7.
3.	8.
4.	9.
5.	10.

**UPC@ 00% Magnification**

PMS colors will be matched to the standard PANTONE book of up to 1.5 Delta E.  
 Drawdowns will only be supplied if requested or custom colors are required.

**Proof Approval**

Waterproof Approved for 4/color process  
 Pdf Approved for content

Customer Signature

*Production Files are Confidential and Property of Gilbreth Packaging.*

Photograce cylinder engravings are stored for 1 year after the final production run. If the cylinder is not re-used within one year, we may, at our option, destroy the engraving. If re-ordered after that time, engraving charges will be invoiced.

A copy of the art simulating the finished product is enclosed for your examination. Please check all aspects carefully for errors (including spelling and position of copy) to ensure compliance to your requirements. Your signature below constitutes acceptance of full responsibility for all errors, omissions, and legal compliance. Gilbreth will not accept liability for errors overlooked at this stage of proofing. Please return, fax or email a signed copy of this approval form and/or a letter with the changes noted to your inside sales coordinator. Fax (215-785-4017).