



POMERSERIES

FORE	Amount Per Serving	% Daily Value	
OUT	Niacin (Vitamin B3 as nicotinic acid)	30 mg	150%
ULLINE	Sodium (as Disodium phosphate)	128 mg	5%
NITINE	L-Citrulline	3g	**
ROOT	L-Carnitine L-Tartrate	1g	**
/DER	Beetroot (powder)	500 mg	**
RGY	Trimethylglycine (TMG) (as betaine anhydrous) 500 mg **		
	N-Acetyl-L-Cysteine	500 mg	**
	ONE MORE REP™ ENERGY BLEND (P	roprietary) 4	54 mg
	Caffeine anhydrous		**
	Theobromine		**
	Phosphatidylcholine		**
	Himalayan pink salt		**
	Yohimbe (bark) extract (std. to 2% Yo		**

1 S

BLENDE

Boz V

WOR

L-CI

maltodextrin, silica, malic acid, sucralose, and acesulfame K.

Discontinue use if you experience dizziness severe headache, rapid heartbeat or shortness Caution: ONE MORE REP™ contains the E vitamin niacin. Niacin may cause temporan flushing, tingling, skin reddening, and sensations of heat, especially if taken on an

empty stomach. This is a common reaction.

ease read entire label before use.

ested Use: USE ON TRAINING DAYS

nded into 6-8 ounces of cold water of

erage, or as suggested by a gualifie

thcare practitioner. Important Note(s): D t exceed one (1) serving (1 scoop) per trainin

av. Avoid eating food or drinking a protei

ake within an hour after consuming ONE

IORE REP[™]. To avoid sleeplessness, do not

ke within four (4) hours of bedtime. Taking

E MORE REP™ with food, or on a full stomach

arnings: Not intended for use by persons

ler age 18. Do not exceed recommende e. Do not take for more than eight (

secutive weeks. Get the consent of ensed physician before using this product pecially if you are taking medication, have

nking about becoming pregnar CONTINUE USE TWO WEEKS PRIOR TO GERY, KEEP THIS PRODUCT AND ALI

PPLEMENTS OUT OF THE REACH O

ffeine warning: The recommended serving

this product contains approximately as much

eine as three cups of coffee. Do not consum feine, or combine with synephrine, includin

ut not limited to coffee, tea, soda and othe

etary supplements or medications containing

hrine or caffeine. Too much caffeine cause nervousness.

irritabilit

Take one (1) serving (1 scoor

ately 15-30 minutes prior to training