Reach your full male performance potential with Nugenix® **Total-T**— the elite vitality formula that safely boosts free and total testosterone for better results in and out of the gym. Scientifically formulated with 8 key ingredients, Nugenix® Total-T delivers more power where others fall short. Maximize your strength, muscle, energy, and endurance to take your workouts to the next level; and spice up your love life with more passion and libido.* Finally you can get after it again with Nugenix® Total-T!

No stimulants. No fillers. No watered-down ingredients. Just complete transparency.



Nugenix[®] Also Recommends:

NUGENIX[®]PM ZMA® TESTOSTERONE SUPPORT

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.





NUGENIX[®] NUGENIX[®] TOTAL TESTOSTERONE BOOSTING FORMULA -INCREASE LEAN MUSCLE MASS* HELPS TO: BOOST FREE & TOTAL TESTOSTERONE* -SUPPORT STRONGER SEX DRIVE* **Dietary Supplement • 90 Capsules**

NUGENIX[®]

NUGENIX®

TOTAL TESTOSTERONE BOOSTING FORMULA

-INCREASE LEAN MUSCLE MASS* -BOOST FREE & TOTAL TESTOSTERONE* HELPS TO: --SUPPORT STRONGER SEX DRIVE*

Adult Men: Take three (3) capsules daily, with or without food.

Supplement Facts

Serving Size 3 Capsules Servings Per Container 30

	% DV
2 mg	118%
2.4 mcg	100%
1 mg	9%
1125 mg	†
600 mg	†
150 mg	+
100 mg	+
10 mg	†
	2.4 mcg 1 mg 1125 mg 600 mg 150 mg 100 mg

+ Daily Value (DV) not established.

Other Ingredients: Gelatin, rice flour, magnesium stearate, maltodextrin and silica.

Distributed by Adaptive Health, Charlotte, NC 28202

Testofen[®] and Fenuside[™] are trademarks of Gencor. elevATP® is a trademark of VDF Futureceuticals. Inc. used under license.

PRECAUTIONS: Only for adult males over 18 years. Use only as directed. Consult your healthcare practitioner if you have or suspect a serious medical condition or if you use any medications as extracts may alter the potency and/or side effects of certain medications. Take product with food if you experience stomach upset or lightheadedness. Discontinue use two weeks prior to surgery or if any serious adverse reaction occurs. Do not use if safety seal is missing.

Keep out of the reach of children. Keep product at room temperature and humidity [59-86°F (15-30°C), 40% RH].

Dietary Supplement

